

JSY®





JINSANYUAN TOOLS CO.,LTD.

温州金三原工具有限公司成立于2007年，是一家专业从事中、高档螺丝批头生产制造企业。公司生产面积10000多平方米，拥有200多台精密车铣一体化数控加工设备，年产螺丝批头上亿颗。金三原充分发挥自身技术实力，从金属加工到热处理、组装环节，均通过严格的生产管理体系实现厂内一体化生产。

公司拥有独立进出口权，部分产品设计享有专利权。产品远销欧洲、北美，南美、中东等国家地区。金三原作为专业螺丝批头制造厂商，凭借严苛的尺寸精度要求实现与螺丝的卓越咬合性能，持之以恒满足严苛的品质要求。在传统的基础上融入新的开拓力，不但可以有创新的技术，新的产品，开拓新的客户，还能够面对各种新的挑战。

金三原长期以来，始终以提早开发其他企业没有的新产品，并且率先将新产品投放市场视为自己的使命，不断地推出极具独创性的新产品。

“专注一心，努力做好每一支螺丝批头”的企业理念，初衷不改延续至今。

用心做好每一支螺丝批头!



ADVERTENCIA:
PLEASE CONSULT EL DORSO FOR WARNING BEFORE USE





生产设备 Production equipment

生产车间内部布局合理，采用现代化的生产管理方式，确保生产流程的高效和顺畅。生产线上配备了先进的自动化设备，大大提高了生产效率和产品的一致性。

在生产过程中，公司严格执行质量管理体系，对每一道工序都进行严格的质量检验，确保每一件产品都能达到公司的高标准。




企业认证

ENTERPRISE CERTIFICATION







CONTENTS 目录

双色螺丝批头
Double-color screwdriver bits 01-04

冲击螺丝批头
Impact screwdriver bits 05-06

K2系列
K2 Series 07

单头螺丝批头
Single-head screwdriver bits 08-10

防滑螺丝批头
Anti-slip screwdriver bits 11-13

磁圈螺丝批头
Magnetic ring screwdriver bits 14-16

小蛮腰螺丝批头
Hourglass-shaped screwdriver bits 17-18


双头螺丝批头
Double-head screwdriver bits 19-21

撞击批头
Striking screwdriver bits 22-23

夹持器/加磁器
Holder/Demagnetizer 24-27

磁性套筒
Magnetic socket 28-29

磁性接杆
Magnetic extension rod 30-31



PRECISION PREMIUM IMPACT TOOLS

精制特级冲击工具

- 特制工业级产品
Special industrial grade products
- 配合冲击钻使用发挥超强抗冲击性能
Use with impact drills to exert super impact resistance
- 多用于工业装配线、建筑业、家装、设施维护等领域
Mostly used in industrial assembly lines, construction industry, home improvement, facility maintenance and other fields

DOUBLE-COLOR SCREWDRIVER BITS 双色螺丝批头



DOUBLE-COLOR SCREWDRIVER BITS 双色螺丝批头

六角螺丝批头 Hex screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH5/643/32	H1.5	25
JSY-PH7/64	H2	25
JSY-PH1/8	H2.5	25
JSY-PH9/64	H3	25
JSY-PH5/32	H4	25
JSY-PH3/16	H3.5	25
JSY-PH7/32	H5	25
JSY-PH1/4	H6	25
JSY-PH5/16	H7	25

梅花螺丝批头 Torx screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-T5025/T6025	T5/T6	25
JSY-T7025/T8025	T7/T8	25
JSY-T9025/T10025	T9/T10	25
JSY-T15025/T20025	T15/T20	25
JSY-T25025/T30025	T25/T30	25
JSY-T40025/T35025	T40/T35	25
JSY-T45025/T50025	T45/T50	25
JSY-T55025	T55	25

十字螺丝批头 Phillips screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1025	Ph1	25
JSY-PH2025	PH2	25
JSY-PH3025	PH3	25
JSY-PH4025	PH4	25

一字螺丝批头 Slotted screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-SL3050	SL3	50
JSY-SL4050	SL4	50
JSY-SL5050	SL5	50
JSY-SL6050	SL6	50
JSY-SL8050	SL8	50
JSY-SL10050	SL10	50

梅花螺丝批头 Torx screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-T5050/T6050	T5/T6	50
JSY-T7050/T8050	T7/T8	50
JSY-T9050/T10050	T9/T10	50
JSY-T15050/T20050	T15/T20	50
JSY-T25050/T30050	T25/T30	50
JSY-T40050/T35050	T40/T35	50
JSY-T45050/T50050	T45/T50	50
JSY-T55050	T55	50

米字螺丝批头 Pozidriv screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PZ1050	PZ1	50
JSY-PZ2050	PZ2	50
JSY-PZ3050	PZ3	50
JSY-PZ4050	PZ4	50

六角螺丝批头 Hex screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH5/643/32	H1.5	50
JSY-PH7/64	H2	50
JSY-PH1/8	H2.5	50
JSY-PH9/64	H3	50
JSY-PH5/32	H4	50
JSY-PH3/16	H3.5	50
JSY-PH7/32	H5	50
JSY-PH1/4	H6	50
JSY-PH5/16	H7	50

四方螺丝批头 Square screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-SQ0050	SQ0	50
JSY-SQ1050	SQ1	50
JSY-SQ2050	SQ2	50
JSY-SQ3050	SQ3	50

十字螺丝批头 Phillips screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH0050	PH0	50
JSY-PH1050	PH1	50
JSY-PH2050	PH2	50
JSY-PH3050	PH3	50

DOUBLE-COLOR SCREWDRIVER BIT 双色螺丝批头

十字螺丝批头

Phillips screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH0080	PH0	90
JSY-PH1080	PH1	90
JSY-PH2080	PH2	90
JSY-PH3080	PH3	90

十字螺丝批头

Phillips screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH00150	PH0	150
JSY-PH10150	PH1	150
JSY-PH20150	PH2	150
JSY-PH30150	PH3	150

四方螺丝批头

Square screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-SQ00150	SQ0	150
JSY-SQ10150	SQ1	150
JSY-SQ20150	SQ2	150
JSY-SQ30150	SQ3	150

十字螺丝批头

Phillips screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH00150	PH0	150
JSY-PH10150	PH1	150
JSY-PH20150	PH2	150
JSY-PH30150	PH3	150

IMPACT SCREWDRIVER BITS

冲击螺丝批头

- 台湾进口S2升级版工具钢经特殊热处理加工，超高扭力输出。
Taiwan imported S2 upgraded version of tool steel is processed by special heat treatment and has ultra-high torque output.
- 配合电动冲击起子使用，确保抗冲击性得到最大发挥。
Use with an electric impact screwdriver to ensure maximum impact resistance.



- 精密数控加工头部，饱满度更好，外形更准确。在高强度紧固作业中，减少头部磨损。
The head is precision CNC machined, with better plumpness and more accurate appearance. In high-strength tightening operations, reduce head wear.
- 特殊的扭力缓冲区设计，吸收形变，增大扭力传导，延长使用寿命。
The special torsion buffer design absorbs deformation, increases the torque transmission, and prolongs the service life.
- 激光打标，增强尺寸规格辨识度。
Laser marking enhances the recognition of size specifications.
- 表面磷酸锰处理，增强防锈耐腐蚀性能。
The surface is treated with manganese phosphate to enhance rust and corrosion resistance.

一字冲击螺丝批头

Slotted impact screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-SL5025	SL5	25
JSY-SL6025	SL6	25
JSY-SL7025	SL7	25
JSY-SL8025	SL8	25

六角冲击螺丝批头


Hex impact screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-H3025	H3	25
JSY-H4025	H4	25
JSY-H5025	H5	25
JSY-H6025	H6	25
JSY-H7025	H7	25
JSY-H8025	H8	25

梅花冲击螺丝批头

Torx impact screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-T3025/T4025	T3/T4	25
JSY-T5025/T6025	T5/T6	25
JSY-T7025/T8025	T7/T8	25
JSY-T9025/T10025	T9/T10	25
JSY-T15025/T20025	T15/T20	25
JSY-T25025/T30025	T25/T30	25
JSY-T35025/T40025	T35/T40	25
JSY-T45025/T50025	T45/T50	25

四方冲击螺丝批头


Square impact screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-SQ1025	SQ1	25
JSY-SQ2025	SQ2	25
JSY-SQ3025	SQ3	25
JSY-SQ4025	SQ4	25

十字冲击螺丝批头

Phillips impact screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1025	PH1	25
JSY-PH2025	PH2	25
JSY-PH3025	PH3	25
JSY-PH4025	PH4	25

米字冲击螺丝批头

Pozidriv impact screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PZ1025	PZ1	25
JSY-PZ2025	PZ2	25
JSY-PZ3025	PZ3	25

IMPACT SCREWDRIVER BITS

冲击螺丝批头

K2 套筒

K2 Socket



编号 Numbering	规格 Specification	长度(mm) Length
JSY-60MNS48	6	48
JSY-70MNS48	7	48
JSY-80MNS48	8	48
JSY-90MNS48	9	48
JSY-100MNS48	10	48
JSY-110MNS48	11	48
JSY-120MNS48	12	48
JSY-130MNS48	13	48

K2 套筒

K2 Socket



编号 Numbering	规格 Specification	长度(mm) Length
JSY-65MNS6	6	65
JSY-65MNS7	7	65
JSY-65MNS8	8	65
JSY-65MNS9	9	65
JSY-65MNS10	10	65
JSY-65MNS11	11	65
JSY-65MNS12	12	65
JSY-65MNS13	13	65
JSY-65MNS14	14	65
JSY-65MNS15	15	65
JSY-65MNS16	16	65
JSY-65MNS17	17	65
JSY-65MNS18	18	65
JSY-65MNS19	19	65

冲击套筒


Impact socket



编号 Numbering	规格 Specification	长度(mm) Length
JSY-60MNS45	6	45
JSY-70MNS45	7	45
JSY-80MNS45	8	45
JSY-90MNS45	9	45
JSY-100MNS45	10	45
JSY-110MNS45	11	45
JSY-120MNS45	12	45
JSY-130MNS45	13	45

十字冲击螺丝批头

Phillips impact screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	PH1	50
JSY-PH2050	PH2	50
JSY-PH3050	PH3	50
JSY-PH10100	PH1	100
JSY-PH20100	PH2	100
JSY-PH30100	PH3	100
JSY-PH10150	PH1	150
JSY-PH20150	PH2	150
JSY-PH30150	PH3	150

梅花冲击螺丝批头 TT

Torx impact screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-TT5	TT5	50
JSY-TT6	TT6	50
JSY-TT7	TT7	50
JSY-TT8	TT8	50
JSY-TT9	TT9	50
JSY-TT10	TT10	50
JSY-TT15	TT15	50
JSY-TT20	TT20	50
JSY-TT25	TT25	50
JSY-TT27	TT27	50
JSY-TT30	TT30	50
JSY-TT35	TT35	50
JSY-TT40	TT40	50

梅花冲击螺丝批头

Torx impact screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-T5	T5	50
JSY-T6	T6	50
JSY-T7	T7	50
JSY-T8	T8	50
JSY-T9	T9	50
JSY-T10	T10	50
JSY-T15	T15	50
JSY-T20	T20	50
JSY-T25	T25	50
JSY-T27	T27	50
JSY-T30	T30	50
JSY-T35	T35	50
JSY-T40	T40	50

一字冲击螺丝批头

Slotted impact screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-SL3	SL3	50
JSY-SL4	SL4	50
JSY-SL5	SL5	50
JSY-SL6	SL6	50
JSY-SL8	SL8	50
JSY-SL10	SL10	50

K2 SERIES

K2系列

• 精密数控加工头部，饱满度更好，外形更准确。在高强度紧固作业中，减少头部磨损。
Precision CNC-machined head for better fullness and more accurate shape. Reduces head wear during high-intensity fastening operations.

• 中部削皮设计，最大程度地提高了产品本身承受形变的能力，将更大的扭力传导至头部。

The middle stripping design maximizes the product's ability to withstand deformation, allowing greater torque to be transmitted to the head.



• 台湾进口S2工具钢经特殊热处理加工，超高扭力输出。
Taiwan-imported S2 tool steel, processed with special heat treatment, delivers ultra-high torque output.

• 表面磷酸锰处理，增强防锈耐腐蚀性能。
Surface treated with manganese phosphate to enhance rust and corrosion resistance.

• 配合电动冲击起子使用，确保抗冲击性得到最大发挥。
Designed for use with electric impact drivers to ensure maximum impact resistance performance.

十字冲击螺丝批头 K2

Phillips impact screwdriver bit k2



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1065	PH1	65
JSY-PH2065	PH2	65
JSY-PH3065	PH3	65

十字冲击螺丝批头 K3

Phillips impact screwdriver bit k3



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1065	PH1	65
JSY-PH2065	PH2	65
JSY-PH3065	PH3	65

四方冲击螺丝批头

Square Impact Screwdriver Bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-SQ0050	SQ0	50
JSY-SQ1050	SQ1	50
JSY-SQ2050	SQ2	50
JSY-SQ3050	SQ3	50

金磁定位批咀

Gold magnetic positioning screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH2025	PH2	25

金磁定位批咀

Gold magnetic positioning screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH2025	PH2	50

定位批咀

Positioning screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH2050	PH2	50

定位批咀

Positioning Screwdriver Bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH2025	PH2	25

SINGLE-HEAD SCREWDRIVER BITS

单头螺丝批头

·专业级紧固工具, 高强度电动工具配件

Professional-grade fastening tools, high-strength power tool accessories

·手动工具以及木工工具

Hand tools and woodworking tools

·广泛应用于各个领域

Widely used in various fields



SINGLE-HEAD SCREWDRIVER BITS

单头螺丝批头

• 台湾进口S2工具钢经特殊热处理加工，高扭力输出。
Taiwan-imported S2 tool steel, processed with special heat treatment, delivers high torque output.

• 配合手动及电动起子使用。
Compatible with both manual and electric screwdrivers.



• 数控加工头部，饱满度好，外形更精确，在高强度紧固作业中，减少头部磨损。
CNC-machined head with excellent fullness and more precise shape, reducing head wear during high-intensity fastening operations.

• 表面喷砂处理。
Surface sandblasting treatment.


• 产品广泛使用于装配流水线、设备维护、建筑、家装等多个领域。
The product is widely used in assembly lines, equipment maintenance, construction, home improvement, and other fields.

十字螺丝批头

Phillips screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1MNS25	PH1	25
JSY-PH2MNS25	PH2	25
JSY-PH3MNS25	PH3	25



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1MNS50	PH1	50
JSY-PH2MNS50	PH2	50
JSY-PH3MNS50	PH3	50
JSY-PH1MNS65	PH1	65
JSY-PH2MNS65	PH2	65
JSY-PH3MNS65	PH3	65
JSY-PH1MNS75	PH1	75
JSY-PH2MNS75	PH2	75
JSY-PH3MNS75	PH3	75
JSY-PH1MNS100	PH1	100
JSY-PH2MNS100	PH2	100
JSY-PH3MNS100	PH3	100
JSY-PH1MNS150	PH1	150
JSY-PH2MNS150	PH2	150
JSY-PH3MNS150	PH3	150

米字螺丝批头

Pozidriv screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PZ0025	PZ0	25
JSY-PZ1025	PZ1	25
JSY-PZ2025	PZ2	25
JSY-PZ3025	PZ3	25
JSY-PZ4025	PZ4	25




编号 Numbering	规格 Specification	长度(mm) Length
JSY-PZ1050	PZ1	50
JSY-PZ2050	PZ2	50
JSY-PZ3050	PZ3	50
JSY-PZ1065	PZ1	65
JSY-PZ2065	PZ2	65
JSY-PZ3065	PZ3	65
JSY-PZ1075	PZ1	75
JSY-PZ2075	PZ2	75
JSY-PZ3075	PZ3	75
JSY-PZ10100	PZ1	100
JSY-PZ20100	PZ2	100
JSY-PZ30100	PZ3	100
JSY-PZ10150	PZ1	150
JSY-PZ20150	PZ2	150
JSY-PZ30150	PZ3	150

四方螺丝批头

Square screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-SQ0025	SQ0	25
JSY-SQ1025	SQ1	25
JSY-SQ2025	SQ2	25
JSY-SQ3025	SQ3	25
JSY-SQ4025	SQ4	25



编号 Numbering	规格 Specification	长度(mm) Length
JSY-SQ1050	SQ1	50
JSY-SQ2050	SQ2	50
JSY-SQ3050	SQ3	50
JSY-SQ4050	SQ4	50
JSY-SQ5065	SQ5	65
JSY-SQ6075	SQ6	75
JSY-SQ70100	SQ7	100
JSY-SQ80150	SQ8	150

SINGLE-HEAD SCREWDRIVER BITS

单头螺丝批头

一字螺丝批头

Slotted screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-SL4025	SL3	25
JSY-SL4025	SL4	25
JSY-SL5025	SL5	25
JSY-SL6025	SL6	25
JSY-SL7025	SL7	25
JSY-SL8025	SL8	25

六角螺丝批头

Hex screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-H1525	H1.5	25
JSY-H2025	H2	25
JSY-H3025	H3	25
JSY-H4025	H4	25
JSY-H5025	H5	25
JSY-H6025	H6	25
JSY-H7025	H7	25
JSY-H8025	H8	25

梅花螺丝批头

Torx screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-T5025	T5	25
JSY-T6025	T6	25
JSY-T7025	T7	25
JSY-T8025	T8	25
JSY-T9025	T9	25
JSY-T10025	T10	25
JSY-T15025	T15	25
JSY-T20025	T20	25
JSY-T25025	T25	25
JSY-T27025	T27	25
JSY-T30025	T30	25
JSY-T35025	T35	25
JSY-T40025	T40	25
JSY-T45025	T45	25
JSY-T50025	T50	25



编号 Numbering	规格 Specification	长度(mm) Length
JSY-SL4050	SL4	50
JSY-SL5050	SL5	50
JSY-SL6050	SL6	50
JSY-SL7050	SL7	50
JSY-SL8050	SL8	50
JSY-SL4065	SL4	65
JSY-SL5065	SL5	65
JSY-SL6065	SL6	65
JSY-SL7065	SL7	65
JSY-SL8065	SL8	65
JSY-SL4075	SL4	75
JSY-SL5075	SL5	75
JSY-SL6075	SL6	75
JSY-SL7075	SL7	75
JSY-SL8075	SL8	75
JSY-SL40100	SL4	100
JSY-SL50100	SL5	100
JSY-SL60100	SL6	100
JSY-SL70100	SL7	100
JSY-SL80100	SL8	100
JSY-SL40150	SL4	150
JSY-SL50150	SL5	150
JSY-SL60150	SL6	150
JSY-SL70150	SL7	150
JSY-SL80150	SL8	150



编号 Numbering	规格 Specification	长度(mm) Length
JSY-H3050	H3	50
JSY-H4050	H4	50
JSY-H5050	H5	50
JSY-H6050	H6	50
JSY-H7050	H7	50
JSY-H8050	H8	50
JSY-H3065	H3	65
JSY-H4065	H4	65
JSY-H5065	H5	65
JSY-H0065	H0	65
JSY-H7065	H7	65
JSY-H8065	H8	65
JSY-H3075	H3	75
JSY-H4075	H4	75
JSY-H5075	H5	75
JSY-H6075	H6	75
JSY-H7075	H7	75
JSY-H8075	H8	75
JSY-H30100	H3	100
JSY-H40100	H4	100
JSY-H50100	H5	100
JSY-H60100	H6	100
JSY-H70100	H7	100
JSY-H80100	H8	100
JSY-H30150	H3	150
JSY-H40150	H4	150
JSY-H50150	H5	150
JSY-H60150	H6	150
JSY-H70150	H7	150
JSY-H80150	H8	150



编号 Numbering	规格 Specification	长度(mm) Length
JSY-T5050/T6050	T5/T6	50
JSY-T7050/T8050	T7/T8	50
JSY-T9050/T10050	T9/T10	50
JSY-T15050/T20050	T15/T20	50
JSY-T25050/T30050	T25/T30	50
JSY-T40050/T50050	T40/T50	50
JSY-T10065/T15065	T10/T15	65
JSY-T20065/T25065	T20/T25	65
JSY-T30065/T40065	T30/T40	65
JSY-T50065/T10075	T50/T10	75
JSY-T15075/T20075	T15/T20	75
JSY-T25075/T30075	T25/T30	75
JSY-T40075/T50075	T40/T50	75
JSY-T100100/T150100	T10/T15	100
JSY-T200100/T250100	T20/T25	100
JSY-T300100/T400100	T30/T40	100
JSY-T500100/T100150	T50/T10	150
JSY-T150150/T200150	T15/T20	150
JSY-T250150/T300150	T25/T30	150
JSY-T400150/T500150	T40/T50	150

ANTI-SLIP SCREWDRIVER BITS 防滑螺丝批头

JSY[®]
JINSANYUAN TOOLS



ANTI-SLIP SCREWDRIVER BITS

防滑螺丝批头

• 台湾进口S2工具钢经特殊热处理加工，高扭力输出。
Taiwan-imported S2 tool steel, processed with special heat treatment, delivers high torque output.

• 配合手动及电动起子使用。
Compatible with both manual and electric screwdrivers.



• 数控加工头部，饱满度好，外形更精确，在高强度紧固作业中，减少头部磨损。
CNC-machined head with excellent fullness and more precise shape, reducing head wear during high-intensity fastening operations.

• 表面喷砂处理。
Surface sandblasting treatment.

• 产品广泛使用于装配流水线、设备维护、建筑、家装等多个领域。
The product is widely used in assembly lines, equipment maintenance, construction, home improvement, and other fields.

十字防滑螺丝批头

Phillips anti-slip screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1025	PH1-PH3	25
JSY-PH1050	PH1-PH3	50
JSY-PH1065	PH1-PH3	65
JSY-PH1075	PH1-PH3	75
JSY-PH1090	PH1-PH3	90
JSY-PH10127	PH1-PH3	127
JSY-PH10150	PH1-PH3	150

十字防滑螺丝批头

Phillips anti-slip screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1025	PH1-PH3	25
JSY-PH1050	PH1-PH3	50
JSY-PH1065	PH1-PH3	65
JSY-PH1075	PH1-PH3	75
JSY-PH1090	PH1-PH3	90
JSY-PH10127	PH1-PH3	127
JSY-PH10150	PH1-PH3	150

十字防滑螺丝批头

Phillips anti-slip screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH0025	PH0	25
JSY-PH1025	PH1	25
JSY-PH2025	PH2	25
JSY-PH3025	PH3	50

十字防滑螺丝批头

Phillips anti-slip screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1025	PH1-PH3	25
JSY-PH1050	PH1-PH3	50
JSY-PH1065	PH1-PH3	65
JSY-PH1075	PH1-PH3	75
JSY-PH1090	PH1-PH3	90
JSY-PH10127	PH1-PH3	127
JSY-PH10150	PH1-PH3	150

十字防滑螺丝批头

Phillips anti-slip screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1025	PH1-PH3	25
JSY-PH1050	PH1-PH3	50
JSY-PH1065	PH1-PH3	65
JSY-PH1075	PH1-PH3	75
JSY-PH1090	PH1-PH3	90
JSY-PH10127	PH1-PH3	127
JSY-PH10150	PH1-PH3	150

ANTI-SLIP SCREWDRIVER BITS 防滑螺丝批头

十字防滑螺丝批头 Phillips anti-slip screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	PH1	50
JSY-PH2050	PH2	50
JSY-PH3050	PH3	50
JSY-PH1065	PH1	65
JSY-PH2065	PH2	65
JSY-PH3065	PH3	65
JSY-PH1075	PH1	70
JSY-PH2075	PH2	70
JSY-PH3075	PH3	70
JSY-PH1090	PH1	90
JSY-PH2090	PH2	90
JSY-PH3090	PH3	90
JSY-PH10127	PH1	127
JSY-PH20127	PH2	127
JSY-PH30127	PH3	127
JSY-PH10150	PH1	150
JSY-PH20150	PH2	150
JSY-PH30150	PH3	150

十字防滑螺丝批头 Phillips anti-slip screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	PH1	50
JSY-PH2050	PH2	50
JSY-PH3050	PH3	50
JSY-PH1065	PH1	65
JSY-PH2065	PH2	65
JSY-PH3065	PH3	65
JSY-PH1075	PH1	70
JSY-PH2075	PH2	70
JSY-PH3075	PH3	70
JSY-PH1090	PH1	90
JSY-PH2090	PH2	90
JSY-PH3090	PH3	90
JSY-PH10127	PH1	127
JSY-PH20127	PH2	127
JSY-PH30127	PH3	127
JSY-PH10150	PH1	150
JSY-PH20150	PH2	150
JSY-PH30150	PH3	150

米字防滑螺丝批头 Pozidriv anti-slip screwdriver bit




编号 Numbering	规格 Specification	长度(mm) Length
JSY-PZ1050	PZ1	50
JSY-PZ2050	PZ2	50
JSY-PZ3050	PZ3	50
JSY-PZ1065	PZ1	65
JSY-PZ2065	PZ2	65
JSY-PZ3065	PZ3	65
JSY-PZ1075	PZ1	70
JSY-PZ2075	PZ2	70
JSY-PZ3075	PZ3	70
JSY-PZ1090	PZ1	90
JSY-PZ2090	PZ2	90
JSY-PZ3090	PZ3	90
JSY-PZ10127	PZ1	127
JSY-PZ20127	PZ2	127
JSY-PZ30127	PZ3	127
JSY-PZ10150	PZ1	150
JSY-PZ20150	PZ2	150
JSY-PZ30150	PZ3	150

十字防滑螺丝批头 Phillips anti-slip screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	PH1	50
JSY-PH2050	PH2	50
JSY-PH3050	PH3	50
JSY-PH1065	PH1	65
JSY-PH2065	PH2	65
JSY-PH3065	PH3	65
JSY-PH1075	PH1	70
JSY-PH2075	PH2	70
JSY-PH3075	PH3	70
JSY-PH1090	PH1	90
JSY-PH2090	PH2	90
JSY-PH3090	PH3	90
JSY-PH10127	PH1	127
JSY-PH20127	PH2	127
JSY-PH30127	PH3	127
JSY-PH10150	PH1	150
JSY-PH20150	PH2	150
JSY-PH30150	PH3	150



MAGNETIC RING SCREWDRIVER BITS

磁圈螺丝批头

·专业级紧固工具, 高强度电动工具配件
Professional-grade fastening tools, high-strength power tool accessories

·手动工具以及木工工具
Hand tools and woodworking tools

·广泛应用于各个领域
Widely used in various fields

MAGNETIC RING SCREWDRIVER BIT

磁圈螺丝批头

• 台湾进口S2工具钢经特殊热处理加工，高扭力输出。
Taiwan-imported S2 tool steel, processed with special heat treatment, delivers high torque output.

• 配合手动及电动起子使用。
Compatible with both manual and electric screwdrivers.



• 数控加工头部，饱满度好，外形更精确，在高强度紧固作业中，减少头部磨损。
CNC-machined head with excellent fullness and more precise shape, reducing head wear during high-intensity fastening operations.

• 表面喷砂处理。
Surface sandblasting treatment.

• 产品广泛使用于装配流水线、设备维护、建筑、家装等多个领域。
The product is widely used in assembly lines, equipment maintenance, construction, home improvement, and other fields.

金属螺纹磁圈螺丝批头

Metal threaded magnetic ring screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	Ph1	50
JSY-PH2050	PH2	50
JSY-PH1065	PH1	65
JSY-PH2065	PH2	65
JSY-PH10100	PH1	100
JSY-PH20100	PH2	100
JSY-PH10150	PH1	150
JSY-PH20150	PH2	150

塑料磁圈螺丝批头

Plastic magnetic ring screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	Ph1	50
JSY-PH2050	PH2	50
JSY-PH1065	PH1	65
JSY-PH2065	PH2	65
JSY-PH10100	PH1	100
JSY-PH20100	PH2	100
JSY-PH10150	PH1	150
JSY-PH20150	PH2	150

塑料磁圈螺丝批头

Plastic magnetic ring screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	Ph1	50
JSY-PH2050	PH2	50
JSY-PH1065	PH1	65
JSY-PH2065	PH2	65
JSY-PH10100	PH1	100
JSY-PH20100	PH2	100
JSY-PH10150	PH1	150
JSY-PH20150	PH2	150

金属磁圈螺丝批头

Metal magnetic ring screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	Ph1	50
JSY-PH2050	PH2	50
JSY-PH1065	PH1	65
JSY-PH2065	PH2	65
JSY-PH10100	PH1	100
JSY-PH20100	PH2	100
JSY-PH10150	PH1	150
JSY-PH20150	PH2	150

塑料磁圈螺丝批头

Plastic magnetic ring screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	Ph1	50
JSY-PH2050	PH2	50
JSY-PH1065	PH1	65
JSY-PH2065	PH2	65
JSY-PH10100	PH1	100
JSY-PH20100	PH2	100
JSY-PH10150	PH1	150
JSY-PH20150	PH2	150

塑料磁圈螺丝批头

Plastic magnetic ring screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	Ph1	50
JSY-PH2050	PH2	50
JSY-PH1065	PH1	65
JSY-PH2065	PH2	65
JSY-PH10100	PH1	100
JSY-PH20100	PH2	100
JSY-PH10150	PH1	150
JSY-PH20150	PH2	150

MAGNETIC RING SCREWDRIVER BITS

磁圈螺丝批头

金属米字磁圈批头

Metal Phillips magnetic ring bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PZ1050	PZ1	50
JSY-PZ2050	PZ2	50
JSY-PZ1065	PZ1	65
JSY-PZ2065	PZ2	65

金属磁圈梅花批头

Metal Torx magnetic ring bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-T30050	T30	50
JSY-T30065	T30	65

金属磁圈螺丝批头

Metal magnetic ring screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	PH1	50
JSY-PH2050	PH2	50

金属磁圈批头


Metal magnetic ring bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	PH1	50
JSY-PH2065	PH2	65

金属磁圈冲击批头

Metal magnetic ring impact bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	PH1	50
JSY-PH2050	PH2	50

金属磁圈冲击批头

Metal magnetic ring impact bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	PH1	50
JSY-PH2050	PH2	50

金属磁圈批头

Metal magnetic ring bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	PH1	50
JSY-PH2050	PH2	50
JSY-PH1065	PH1	65
JSY-PH2065	PH2	65
JSY-PH10100	PH1	100
JSY-PH20100	PH2	100
JSY-PH10150	PH1	150
JSY-PH20150	PH2	150

金属磁圈批头

Metal magnetic ring bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	PH1	50
JSY-PH2050	PH2	50
JSY-PH1065	PH1	65
JSY-PH2065	PH2	65
JSY-PH10100	PH1	100
JSY-PH20100	PH2	100
JSY-PH10150	PH1	150
JSY-PH20150	PH2	150

金属磁圈批头

Metal magnetic ring bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	PH1	50
JSY-PH2050	PH2	50
JSY-PH1065	PH1	65
JSY-PH2065	PH2	65
JSY-PH10100	PH1	100
JSY-PH20100	PH2	100
JSY-PH10150	PH1	150
JSY-PH20150	PH2	150

金属螺纹磁圈螺丝批头

Metal threaded magnetic ring screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	PH1	50
JSY-PH2050	PH2	50
JSY-PH1065	PH1	65
JSY-PH2065	PH2	65
JSY-PH10100	PH1	100
JSY-PH20100	PH2	100
JSY-PH10150	PH1	150
JSY-PH20150	PH2	150

金属磁圈批头

Metal magnetic ring bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1050	PH1	50
JSY-PH2065	PH2	50

HOURGLASS-SHAPED SCREWDRIVER BITS

小蛮腰螺丝批头

- 专业级紧固工具, 高强度电动工具配件
Professional-grade fastening tools, high-strength power tool accessories
- 手动工具以及木工工具
Hand tools and woodworking tools
- 广泛应用于各个领域
Widely used in various fields



HOURLASS-SHAPED SCREWDRIVER BITS

小蛮腰螺丝批头

• 台湾进口S2工具钢经特殊热处理加工，高扭力输出。
Taiwan-imported S2 tool steel, processed with special heat treatment, delivers high torque output.

• 配合手动及电动起子使用。
Compatible with both manual and electric screwdrivers.



• 数控加工头部，饱满度好，外形更精确，在高强度紧固作业中，减少头部磨损。
CNC-machined head with excellent fullness and more precise shape, reducing head wear during high-intensity fastening operations.

• 表面喷砂处理。
Surface sandblasting treatment.

• 产品广泛使用于装配流水线、设备维护、建筑、家装等多个领域。
The product is widely used in assembly lines, equipment maintenance, construction, home improvement, and other fields.

小蛮腰螺丝批头

Hourglass-shaped screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PZ*65	PZ1/2/3	65
JSY-PH*65	PH1/2/3	65
JSY-PH2*65	T10/15/30	65
JSY-PZ*65	PZ1/2/3	110
JSY-PH*65	PH1/2/3	110
JSY-PH2*65	T10/15/30	110
JSY-PZ*65	PZ1/2/3	150
JSY-PH*65	PH1/2/3	150
JSY-PH2*65	T10/15/30	150

小蛮腰螺丝批头

Hourglass-shaped screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PZ*65	PZ1/2/3	65
JSY-PH*65	PH1/2/3	65
JSY-PH2*65	T10/15/30	65
JSY-PZ*65	PZ1/2/3	110
JSY-PH*65	PH1/2/3	110
JSY-PH2*65	T10/15/30	110
JSY-PZ*65	PZ1/2/3	150
JSY-PH*65	PH1/2/3	150
JSY-PH2*65	T10/15/30	150

小蛮腰螺丝批头

Hourglass-shaped screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PZ*65	PZ1/2/3	65
JSY-PH*65	PH1/2/3	65
JSY-PH2*65	T10/15/30	65
JSY-PZ*65	PZ1/2/3	110
JSY-PH*65	PH1/2/3	110
JSY-PH2*65	T10/15/30	110
JSY-PZ*65	PZ1/2/3	150
JSY-PH*65	PH1/2/3	150
JSY-PH2*65	T10/15/30	150

小蛮腰螺丝批头

Hourglass-shaped screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PZ*65	PZ1/2/3	65
JSY-PH*65	PH1/2/3	65
JSY-PSL*65	T10/15/30	65
JSY-PZ*65	PZ1/2/3	110
JSY-PH*65	PH1/2/3	110
JSY-PSL*65	T10/15/30	110
JSY-PZ*65	PZ1/2/3	150
JSY-PH*65	PH1/2/3	150
JSY-PSL*65	T10/15/30	150



DOUBLE-HEAD SCREWDRIVER BITS

双头螺丝批头

·专业级紧固工具, 高强度电动工具配件
Professional-grade fastening tools, high-strength power tool accessories

·手动工具以及木工工具
Hand tools and woodworking tools


·广泛应用于各个领域
Widely used in various fields

DOUBLE-HEAD SCREWDRIVER BITS

双头螺丝批头

刻沟尺寸示意图：

Schematic diagram of groove size:



• 采用台湾进口S2工具钢硬度58-62 HRC，扭力更大，寿命更长。

Made of imported S2 tool steel from Taiwan with a hardness of 58-62 HRC, offering greater torque and extended durability.

• 双头带强磁性，使用方便。

Dual ends with strong magnetism for convenient use.



• 精密数控加工头部外形，饱满度更好。在高强度紧固作业中，减少头部磨损的同时降低损伤螺丝的风险。

Precision CNC machining of the head shape ensures better fullness. During high-intensity fastening operations, it reduces head wear while minimizing the risk of screw damage.

• 适用于气动起子或电动起子，可广泛用于装配流水线，设备维护，建筑，家装等多个领域。

Suitable for pneumatic or electric screwdrivers, widely applicable in assembly lines, equipment maintenance, construction, home improvement, and various other fields.

十字螺丝批头

Phillips screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1025	PH1	25
JSY-PH2025	PH2	25
JSY-PH3025	PH3	25
JSY-PH1050	PH1	50
JSY-PH2050	PH2	50
JSY-PH3050	PH3	50
JSY-PH1065	PH1	65
JSY-PH2065	PH2	65
JSY-PH3065	PH3	65
JSY-PH1075	PH1	75
JSY-PH2075	PH2	75
JSY-PH3075	PH3	75
JSY-PH10100	PH1	100
JSY-PH20100	PH2	100
JSY-PH30100	PH3	100
JSY-PH10110	PH1	110
JSY-PH20110	PH2	110
JSY-PH30110	PH3	110
JSY-PH10150	PH1	150
JSY-PH20150	PH2	150
JSY-PH30150	PH3	150
JSY-PH10200	PH1	200
JSY-PH20200	PH2	200
JSY-PH30200	PH3	200
JSY-PH10250	PH1	250
JSY-PH20250	PH2	250
JSY-PH30250	PH3	250
JSY-PH10300	PH1	300
JSY-PH20300	PH2	300
JSY-PH30300	PH3	300

米字螺丝批头

Pozidriv screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PZ10	PZ1	25
JSY-PZ20	PZ2	25
JSY-PZ30	PZ3	25
JSY-PZ10	PZ1	50
JSY-PZ20	PZ2	50
JSY-PZ30	PZ3	50
JSY-PZ10	PZ1	65
JSY-PZ20	PZ2	65
JSY-PZ30	PZ3	65
JSY-PZ10	PZ1	75
JSY-PZ20	PZ2	75
JSY-PZ30	PZ3	75
JSY-PZ10	PZ1	100
JSY-PZ20	PZ2	100
JSY-PZ30	PZ3	100
JSY-PZ10	PZ1	110
JSY-PZ20	PZ2	110
JSY-PZ30	PZ3	110
JSY-PZ10	PZ1	150
JSY-PZ20	PZ2	150
JSY-PZ30	PZ3	150
JSY-PZ10	PZ1	200
JSY-PZ20	PZ2	200
JSY-PZ30	PZ3	200
JSY-PZ10	PZ1	250
JSY-PZ20	PZ2	250
JSY-PZ30	PZ3	250
JSY-PZ10	PZ1	300
JSY-PZ20	PZ2	300
JSY-PZ30	PZ3	300

十字螺丝批头

Phillips screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1025	PH1	25
JSY-PH2025	PH2	25
JSY-PH3025	PH3	25
JSY-PH1050	PH1	50
JSY-PH2050	PH2	50
JSY-PH3050	PH3	50
JSY-PH1065	PH1	65
JSY-PH2065	PH2	65
JSY-PH3065	PH3	65
JSY-PH1075	PH1	75
JSY-PH2075	PH2	75
JSY-PH3075	PH3	75
JSY-PH10100	PH1	100
JSY-PH20100	PH2	100
JSY-PH30100	PH3	100
JSY-PH10110	PH1	110
JSY-PH20110	PH2	110
JSY-PH30110	PH3	110
JSY-PH10150	PH1	150
JSY-PH20150	PH2	150
JSY-PH30150	PH3	150
JSY-PH10200	PH1	200
JSY-PH20200	PH2	200
JSY-PH30200	PH3	200
JSY-PH10250	PH1	250
JSY-PH20250	PH2	250
JSY-PH30250	PH3	250
JSY-PH10300	PH1	300
JSY-PH20300	PH2	300
JSY-PH30300	PH3	300

DOUBLE-HEAD SCREWDRIVER BITS 双头螺丝批头

梅花螺丝批头

Torx screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-T10050	T10	50
JSY-T15050	T15	50
JSY-T20050	T20	50
JSY-T25050	T25	50
JSY-T30050	T30	50
JSY-T40050	T40	50
JSY-T50050	T50	50
JSY-T10065	T10	65
JSY-T15065	T15	65
JSY-T20065	T20	65
JSY-T25065	T25	65
JSY-T30065	T30	65
JSY-T40065	T40	65
JSY-T50065	T50	65
JSY-T10075	T10	75
JSY-T15075	T15	75
JSY-T20075	T20	75
JSY-T25075	T25	75
JSY-T30075	T30	75
JSY-T40075	T40	75
JSY-T50075	T50	75
JSY-T100100	T10	100
JSY-T150100	T15	100
JSY-T200100	T20	100
JSY-T250100	T25	100
JSY-T300100	T30	100
JSY-T400100	T40	100
JSY-T500100	T50	100
JSY-T100150	T10	150
JSY-T150150	T15	150
JSY-T200150	T20	150
JSY-T250150	T25	150
JSY-T300150	T30	150
JSY-T400150	T40	150
JSY-T500150	T50	150

四方螺丝批头

Square screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-SQ2MNS50	Sq2	50
JSY-SQ3MNS50	SQ3	50
JSY-SQ4MNS50	SQ4	50
JSY-SQ5MNS50	SQ5	50
JSY-SQ6MNS50	SQ6	50
JSY-SQ2MNS65	SQ2	65
JSY-SQ3MNS65	SQ3	65
JSY-SQ4MNS65	SQ4	65
JSY-SQ5MNS65	SQ5	65
JSY-SQ6MNS65	SQ6	65
JSY-SQ2MNS75	SQ2	75
JSY-SQ3MNS75	SQ3	75
JSY-SQ4MNS75	SQ4	75
JSY-SQ5MNS75	SQ5	75
JSY-SQ6MNS75	SQ6	75
JSY-SQ2MNS100	SQ2	100
JSY-SQ3MNS100	SQ3	100
JSY-SQ4MNS100	SQ4	100
JSY-SQ5MNS100	SQ5	100
JSY-SQ6MNS100	SQ6	100
JSY-SQ2MNS150	SQ2	150
JSY-SQ3MNS150	SQ3	150
JSY-SQ4MNS150	SQ4	150
JSY-SQ5MNS150	SQ5	150
JSY-SQ6MNS150	SQ6	150

一字螺丝批头

Flathead screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-SL3050	SL3	50
JSY-SL4050	SL4	50
JSY-SL5050	SL5	50
JSY-SL6050	SL6	50
JSY-SL7050	SL7	50
JSY-SL8050	SL8	50
JSY-SL10050	SL10	50
JSY-SL3065	SL3	65
JSY-SL4065	SL4	65
JSY-SL5065	SL5	65
JSY-SL6065	SL6	65
JSY-SL7065	SL7	65
JSY-SL8065	SL8	65
JSY-SL10065	SL10	65
JSY-SL3075	SL3	75
JSY-SL4075	SL4	75
JSY-SL5075	SL5	75
JSY-SL6075	SL6	75
JSY-SL7075	SL7	75
JSY-SL8075	SL8	75
JSY-SL10075	SL10	75
JSY-SL30100	SL3	100
JSY-SL40100	SL4	100
JSY-SL50100	SL5	100
JSY-SL60100	SL6	100
JSY-SL70100	SL7	100
JSY-SL80100	SL8	100
JSY-SL100100	SL10	100
JSY-SL30150	SL3	150
JSY-SL40150	SL4	150
JSY-SL50150	SL5	150
JSY-SL60150	SL6	150
JSY-SL70150	SL7	150
JSY-SL80150	SL8	150
JSY-SL100150	SL10	150

双头螺丝批头


Double-ended screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH2/SL26050	PH2/SL7	50
JSY-PH2/SL26065	PH2/SL7	65
JSY-PH2/SL26075	PH2/SL7	75
JSY-PH2/SL260100	PH2/SL7	100
JSY-PH2/SL260150	PH2/SL7	150
JSY-PH2/SL260200	PH2/SL7	200

双头螺丝批头

Double-ended screwdriver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PSL26050	SL3	50
JSY-PSL26065	SL4	65
JSY-PSL26070	SL5	70
JSY-PSL26075	SL6	75
JSY-PSL260100	SL7	100
JSY-PSL260150	SL8	150
JSY-PSL260200	SL10	200



STRIKING SCREWDRIVER BITS

撞击批头

· 特制工业级产品

Special industrial grade products

· 配合冲击钻、手枪钻使用发挥超强抗冲击性能

Use with percussion drills and pistol drills to exert super impact resistance

· 多用于工业装配线、建筑业、家装、设施维护等领域

Mostly used in industrial assembly lines, construction industry, home improvement, facility maintenance and other fields

STRIKING SCREWDRIVER BITS 撞击批头

十字撞击批头

Phillips impact bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1036	PH1	36
JSY-PH2036	PH2	36
JSY-PH3036	PH3	36
JSY-PH1040	PH1	40
JSY-PH2040	PH2	40
JSY-PH3040	PH3	40
JSY-PH1075	PH1	75
JSY-PH2075	PH2	75
JSY-PH3075	PH3	75
JSY-PH1080	PH1	80
JSY-PH2080	PH2	80
JSY-PH3080	PH3	80

十字撞击批头

Phillips impact driver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH1036	PH1	36
JSY-PH2036	PH2	36
JSY-PH3036	PH3	36
JSY-PH1040	PH1	40
JSY-PH2040	PH2	40
JSY-PH3040	PH3	40
JSY-PH1075	PH1	75
JSY-PH2075	PH2	75
JSY-PH3075	PH3	75
JSY-PH1080	PH1	80
JSY-PH2080	PH2	80
JSY-PH3080	PH3	80

一字撞击批头

Flathead impact driver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-SL3036	SL3	36
JSY-SL4036	SL4	36
JSY-SL5036	SL5	36
JSY-SL6036	SL6	36
JSY-SL7036	SL7	36
JSY-SL8036	SL8	36
JSY-SL10036	SL10	36
JSY-SL3040	SL3	40
JSY-SL4040	SL4	40
JSY-SL5040	SL5	40
JSY-SL6040	SL6	40
JSY-SL7040	SL7	40
JSY-SL8040	SL8	40
JSY-SL10040	SL10	40
JSY-SL3075	SL3	75
JSY-SL4075	SL4	75
JSY-SL5075	SL5	75
JSY-SL6075	SL6	75
JSY-SL7075	SL7	75
JSY-SL8075	SL8	75
JSY-SL10075	SL10	75
JSY-SL3080	SL3	80
JSY-SL4080	SL4	80
JSY-SL5080	SL5	80
JSY-SL6080	SL6	80
JSY-SL7080	SL7	80
JSY-SL8080	SL8	80
JSY-SL10080	SL10	80

梅花撞击批头

Torx impact driver bit



编号 Numbering	规格 Specification	长度(mm) Length
JSY-T10036/T15036	T10/T15	36
JSY-T20036/T25036	T20/T25	36
JSY-T27036/T30036	T27/T30	36
JSY-T35036/T40036	T35/T40	36
JSY-T45036/T50036	T45/T50	36
JSY-T10040/T15040	T10/T15	40
JSY-T20040/T25040	T20/T25	40
JSY-T27040/T30040	T27/T30	40
JSY-T35040/T40040	T35/T40	40
JSY-T45040/T50040	T45/T50	40
JSY-T10080/T15080	T10/T15	80
JSY-T20080/T25080	T20/T25	80
JSY-T27080/T30080	T27/T30	80
JSY-T35080/T40080	T35/T40	80
JSY-T45080/T50080	T45/T50	80

四方撞击批头

Square impact driver bit




编号 Numbering	规格 Specification	长度(mm) Length
JSY-H3036/H4036	H3/H4	36
JSY-H5036/H6036	H5/H6	36
JSY-H7036/H8036	H7/H8	36
JSY-H10036	H10	36
JSY-H3040/H4040	H3/H4	40
JSY-H5040/H6040	H5/H6	40
JSY-H7040/H8040	H7/H8	40
JSY-H10040	H10	40
JSY-H3075/H4075	H3/H4	75
JSY-H5075/H6075	H5/H6	75
JSY-H7075/H8075	H7/H8	75
JSY-H10075	H10	75
JSY-H3080/H4080	H3/H4	80
JSY-H5080/H6080	H5/H6	80
JSY-H7080/H8080	H7/H8	80
JSY-H10080	H10	80

撞击组套

Impact assembly set



编号 Numbering	规格 Specification	长度(mm) Length
JSY-PH2050	PH2	50
JSY-SL5050	SL5	50
JSY-H5050	H5	50
JSY-H6050	H6	50
JSY-H8050	H8	50



HOLDER/DEMAGNETIZER

夹持器/加磁器

- 专业级紧固工具, 高强度电动工具配件
Professional-grade fastening tools, high-strength power tool accessories
- 手动工具以及木工工具
Hand tools and woodworking tools
- 广泛应用于各个领域
Widely used in various fields



HOLDER 夹持器



← • 螺丝夹持器，用于螺丝刀杆、长批头和L型扳手，带螺丝固持功能

Screw holder for screwdriver shafts, long bits, and L-shaped wrenches, equipped with a screw retention function.

← • 带固持功能，可将所有外形和尺寸的螺丝牢固夹持在工具上

Equipped with a retention function, securely holding screws of all shapes and sizes onto the tool.

← • 适用于直径4.5-6.0mm和6.0-8.5mm的圆形和六角形刀杆


Suitable for round and hexagonal shafts with diameters of 4.5-6.0mm and 6.0-8.5mm.

夹持器如何工作

HOW THE GRIPPER WORKS




将夹持器套进螺丝刀杆，直至露出刀头。
Slide the holder onto the screwdriver shaft until the bit is exposed.



当螺丝头被推挤到表面时，夹持器的支架会进一步分开，并且当螺丝被埋进后，支架就会自动退出。
When the screw head is pushed to the surface, the bracket of the holder will be further separated, and when the screw is buried, the bracket will automatically withdraw.




将螺丝放置于刀头，用夹持器夹住。
Place the screw on the bit and secure it with the holder.



当在盲孔紧固螺丝时，螺丝夹子被推回，使得它能接触到更深位置的螺丝。
When tightening the screw in the blind hole, the screw clamp is pushed back so that it can touch the screw in a deeper position.



向手柄方向拉夹持器，直至两个支架轻加分开并夹住螺丝头。当螺丝被完全紧固后，推拉夹持器就会自动释放螺丝。
Pull the holder toward the handle until the two brackets are slightly separated and clamp the screw head. When the screw is fully tightened, pushing and pulling the holder will automatically release the screw.



夹持器也可以用于L型扳手和长批头
The holder can also be used for L-wrenches and long bits

MAGNETIZER 加磁器

• 独特的磁铁效应，让批头的吸力倍增
The unique magnet effect doubles the suction power of the bit

• 配合批头使用，即便是狭窄有限空间内的螺丝紧固或石膏板等连续作业同样轻松胜任

With the use of bits, even continuous work such as screw fastening in a narrow and limited space or gypsum board is easily competent

• 适用于孔径6.35mm以内直径批头及螺丝刀杆
Suitable for bits and screwdrivers with a diameter of 6.35mm or less



1/4"

孔径六角对边6.35mm
磁套可吸附在细杆径上不用担心脱落
Aperture Hexagonal Opposite 6.35mm
The magnetic sleeve can be adsorbed on the thin rod diameter without worrying about falling off



万能磁圈 UNIVERSAL MAGNETIC COIL

使用时快速更换批头，大大提高操作时间，带有磁性，使操作时方便吸合螺钉，只要更换批头，能降低使用成本。

The batch head can be changed quickly when in use, which greatly improves the operating time. It is magnetic, which makes it convenient to draw the screws during operation. As long as the batch head is replaced, the use cost can be reduced.



MAGNETIZER 加磁器

优质材质

High quality material

外壳采用优质塑料,坚固耐磨

The shell is made of high-quality plastic, which is strong and wear-resistant



强力磁片
Powerful Magnet
内置超强力磁片,磁力强劲
Built-in super strong magnetic sheet, strong magnetic force



螺丝刀加磁
Screwdriver with magnetic



六角扳手加磁
Hex wrench with magnetic




批头加磁
Bit magnetic

规格多样


VARIOUS SPECIFICATIONS

根据使用需求选择不同规格磁套


Choose different specifications of magnetic sleeves according to the needs of use



● 6-10mm: 适合6mm-10mm杆径



● 4-6.3mm: 适合4mm-6.3mm杆径



● 1.5-4mm: 适合1.5mm-4mm杆径



MAANETIC SOCKET

磁性套筒

· 特制工业级产品

Special industrial grade products

· 配合冲击钻、手枪钻使用发挥超强抗冲击性能

Use with percussion drills and pistol drills to exert super impact resistance

· 多用于工业装配线、建筑业、家装、设施维护等领域

Mostly used in industrial assembly lines, construction industry, home improvement, facility maintenance and other fields



MAANETIC SOCKET 磁性套筒

我们的磁性套筒采用进口S2材料，具有出色的硬度和耐磨性，适用于多种作业环境。

Our magnetic socket is made of imported S2 material, offering excellent hardness and wear resistance, suitable for various work environments.

抗冲击性强，能够承受频繁的高强度工作，延长工具寿命的同时提升作业效率，满足多种使用需求。

With strong impact resistance, it can withstand frequent high-intensity tasks, extending the tool's lifespan while enhancing work efficiency to meet diverse application needs.

冲击磁性套筒 Impact magnetic socket



编号 Numbering	规格 Specification	长度(mm) Length
JSY-65MNS6	6	65
JSY-65MNS7	7	65
JSY-65MNS8	8	65
JSY-65MNS9	9	65
JSY-65MNS10	10	65
JSY-65MNS11	11	65
JSY-65MNS12	12	65
JSY-65MNS13	13	65
JSY-65MNS14	14	65
JSY-65MNS15	15	65
JSY-65MNS16	16	65
JSY-65MNS17	17	65
JSY-65MNS18	18	65
JSY-65MNS19	19	65

磁性套筒 Magnetic socket



编号 Numbering	规格 Specification	长度(mm) Length
JSY-42MNS6	6/7	42
JSY-42MNS7	8/9	42
JSY-42MNS8	10/11	42
JSY-42MNS9	12/13	42
JSY-45MNS10	6/7	45
JSY-45MNS11	8/9	45
JSY-45MNS12	10/11	45
JSY-45MNS13	12/13	45
JSY-48MNS6	6/7	48
JSY-48MNS7	8/9	48
JSY-48MNS8	10/11	48
JSY-48MNS9	12/13	48
JSY-48MNS10	14/15	48
JSY-48MNS11	16/17	48
JSY-48MNS12	18/19	48

加深套筒 Deep socket



编号 Numbering	规格 Specification	长度(mm) Length
JSY-80MNS5.5	5.5/6.0	80
JSY-80MNS6.0	7.0/8.0	80
JSY-80MNS7.0	9.0/10	80
JSY-80MNS8.0	11/12	80
JSY-80MNS9.0	13/14	80
JSY-80MNS10	15/16	80
JSY-80MNS11	17/18	80
JSY-80MNS12	19	80
JSY-100MNS5.5	5.5/6.0	100
JSY-100MNS6.0	7.0/8.0	100
JSY-100MNS7.0	9.0/10	100
JSY-100MNS8.0	11/12	100
JSY-100MNS9.0	13/14	100
JSY-100MNS10	15/16	100
JSY-100MNS11	17/18	100
JSY-100MNS12	19	100
JSY-150MNS5.5	5.5/6.0	150
JSY-150MNS6.0	7.0/8.0	150
JSY-150MNS7.0	9.0/10	150
JSY-150MNS8.0	11/12	150
JSY-150MNS9.0	13/14	150
JSY-150MNS10	15/16	150
JSY-150MNS11	17/18	150
JSY-150MNS12	19	150

线圈弹簧套筒 Coil spring socket



编号 Numbering	规格 Specification	长度(mm) Length
JSY-48MNS6	6/7	48
JSY-48MNS7	8/9	48
JSY-48MNS8	10/11	48
JSY-48MNS9	12/13	48
JSY-65MNS10	6/7	65
JSY-65MNS11	8/9	65
JSY-65MNS12	10/11	65
JSY-65MNS13	12	65

磁性套筒 Magnetic socket



编号 Numbering	规格 Specification	长度(mm) Length
JSY-45MNS6	6/7/8/9	45
JSY-45MNS7	10/11/12	45
JSY-48MNS6	6/7/8/9	48
JSY-48MNS7	10/11/12	48
JSY-58MNS6	6/7/8/9	58
JSY-58MNS7	10/11/12	58
JSY-65MNS6	6/7/8/9	65
JSY-65MNS7	10/11/12	65



MAGNETIC EXTENSION ROD

磁性接杆

· 特制工业级产品

Special industrial grade products

· 配合冲击钻、手枪钻使用发挥超强抗冲击性能

Use with percussion drills and pistol drills to exert super impact resistance

· 多用于工业装配线、建筑业、家装、设施维护等领域

Mostly used in industrial assembly lines, construction industry, home improvement, facility maintenance and other fields

MAGNETIC EXTENSION ROD 磁性接杆

JSY[®]
JINSANYUAN TOOLS

柳珠接杆

Ball detent extension rod



编号 Numbering	规格 Specification	长度(mm) Length
JSY-50MNS41	1/4"	50
JSY-50MNS83	3/8"	50
JSY-50MNS21	1/2"	50
JSY-65MNS41	1/4"	65
JSY-65MNS83	3/8"	65
JSY-73MNS21	1/2"	73

柳珠接杆

Ball detent extension rod



编号 Numbering	规格 Specification	长度(mm) Length
JSY-65MNS41	1/4"	65
JSY-65MNS83	3/8"	65
JSY-73MNS21	1/2"	73

磁性接杆

Magnetic extension rod



编号 Numbering	规格 Specification	长度(mm) Length
JSY-60MNS41	1/4"	60
JSY-75MNS41	1/4"	75
JSY-100MNS41	1/4"	100
JSY-150MNS41	1/4"	150
JSY-200MNS41	1/4"	200

伸缩拉杆

Telescopic pull rod



编号 Numbering	规格 Specification	长度(mm) Length
JSY-60MNS41	1/4"	60
JSY-75MNS41	1/4"	75
JSY-100MNS41	1/4"	100
JSY-150MNS41	1/4"	150
JSY-200MNS41	1/4"	200

磁性接杆

Magnetic extension rod



编号 Numbering	规格 Specification	长度(mm) Length
JSY-60MNS41	1/4"	60
JSY-75MNS41	1/4"	75
JSY-100MNS41	1/4"	100
JSY-150MNS41	1/4"	150
JSY-200MNS41	1/4"	200

快脱接杆

Quick-release extension rod



编号 Numbering	规格 Specification	长度(mm) Length
JSY-60MNS41	1/4"	60

快脱接杆

Quick-release extension rod



编号 Numbering	规格 Specification	长度(mm) Length
JSY-60MNS41	1/4"	60

快脱接杆

Quick-release extension rod



编号 Numbering	规格 Specification	长度(mm) Length
JSY-60MNS41	1/4"	60

快脱接杆

Quick-release extension rod



编号 Numbering	规格 Specification	长度(mm) Length
JSY-60MNS41	1/4"	60

JSY[®]

H2

S2


JSY[®]



JINSANYUAN
TOOLS CO., LTD.

ADVERTENCIA:

PLEASE CONSULT ELDORSO FOR WARNING BEFORE USE



VERIFICATION
CONSULT YOUR WARNINGS
BEFORE USE




WARNING
PLEASE REFER TO REVERSE SIDE
FOR WARNINGS BEFORE USE



A-25PC PRODUCT DESCRIPTION

- **25pcs-** 25mm bit
- **Slotted:** PH1,PH2,PH3,PZ1,PZ2,PZ3
- **Torx:** T5,T6,T7,T8,T10,T15,T20, T25,T27,T30,T35,T40
- **Hex:** 1.5mm,2mm,2.5mm,3mm,4mm, 5mm,6mm,8mm,10mm



A-65PC PRODUCT DESCRIPTION

- **25pcs-** 25mm bit
- **Slotted:** PH1,PH2,PH3,PZ1,PZ2,PZ3
- **Torx:** T5,T6,T7,T8,T10,T15,T20, T25,T27,T30,T35,T40
- **Hex:** 1.5mm,2mm,2.5mm,3mm,4mm, 5mm,6mm,8mm,10mm




Screwdriver Set 批头盒

A-63PC PRODUCT DESCRIPTION



- 33pcs- 25mm bit
- 1pcs- Adapter
- Slotted: PH1,PH2,PH3,PZ1,PZ2,PZ3
- Torx: T6,T7,T8,T9,T10
- Hex: 1.5mm,2mm,2.5mm,3mm



A-25PC PRODUCT DESCRIPTION



- 25pcs- 25mm bit
- Slotted: PH1,PH2,PH3,PZ1,PZ2,PZ3
- Torx: T5,T6,T7,T8,T10,T15,T20, T25,T27,T30,T35,T40
- Hex: 1.5mm,2mm,2.5mm,3mm,4mm, 5mm,6mm,8mm,10mm





A-35PC

PRODUCT DESCRIPTION

- **33pcs**- 25mm bit
- **1pcs**- Adapter
- **Slotted:** PH1,PH2,PH3,PZ1,PZ2,PZ3
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm



A1-48PC

PRODUCT DESCRIPTION

CONTENT:

1" Bits – 32PC

2" Bits – 13PC

3.5" Bits – 3PC

SIZE: 187X102X53mm (有吊牌-吊牌可拆卸)

165X102X53mm (无吊牌)



Screwdriver Set 批头盒



A2-29PC PRODUCT DESCRIPTION

CONTENT:

1" Bits – 8PC

2" Bits – 8PC

screw guide 3" -1PC


2"socket adapter 3/8-1PC

48mm socket 6/8/10-3PC

HEX drill:1.5/2/2.5/3/3.5/4/5/6mm-8pc

SIZE: 187X102X53mm (有吊牌-吊牌可拆卸)

165X102X53mm (无吊牌)



A3-45PC PRODUCT DESCRIPTION

CONTENT:


1" Bits – 24PC

2" Bits – 8PC

Hss drill:1/1.5/2/2.5/3/3.2/3.5/4/4.2/4.5
/5/5.5/6mm-13pc

SIZE: 187X102X53mm (有吊牌-吊牌可拆卸)

165X102X53mm (无吊牌)






A4-21PC PRODUCT DESCRIPTION

CONTENT:

Hss drill:1/1.5/2*2/2.5*2/3*2/3.5*2/4*2/4.5/5*2/
5.5/6/6.5/7/7.5/8mm-21pc

SIZE: 187X102X53mm (有吊牌-吊牌可拆卸)
165X102X53mm (无吊牌)



B1-69PC PRODUCT DESCRIPTION

CONTENT:

1" Bits - 29PC

2" Bits - 10PC

screw guide 3" - 1PC

38mm socket 4/5/6/8/10- 5PC


wood flat drill-20mm-1PC

Masonry Bit - 3/4/5/6/8mm-5PC


Wood drill:- 4/5/6/8/10mm-5pc

Hss drill:1/1.5/2/2.5/3/3.2/3.5/4/4.2/4.5/5/5.5/6mm-13pc

SIZE: 243X178X51mm



Screwdriver Set 批头盒



B2-103PC PRODUCT DESCRIPTION

CONTENT:


- 1" Bits – 49PC
 - 2" Bits – 9PC
 - 3.5" Bits – 3PC
 - screw guide 3" -1PC
 - 38mm socket 4/5/6/8/10/13-6PC
 - wood flat drill-12/16/18/20mm-4PC
 - Masonry Bit -4/5/6/8/10mm-5PC
 - Wood drill:-4/5/6/8/10mm-5pc
 - Hss drill:1*3/1.5*3/2*3/2.5*3/3*3/3.5/4/4.5/5/6/8mm-21pc
- SIZE:** 243X178X51mm



C1-206PC PRODUCT DESCRIPTION

CONTENT:

- 1" Bits – 109PC
 - 2" Bits – 44PC
 - 3.5" Bits – 4PC
 - screw guide 3" -1PC
 - 2"socket adapter 1/4, 3/8, 1/2 -3PC
 - 38mm socket 4/5/6/7/8/9/10/11/12/13-10PC
 - wood flat drill-12/16/18/20mm-4PC
 - Masonry Bit -4/5/6/8/10mm-5PC
 - Wood drill:-4/5/6/8/10mm-5pc
 - Hss drill:1/1.5/2*2/2.5*2/3*2/3.5*2/4*2/4.5/5*2/5.5/6/6.5/7/7.5/8mm-21pc
- SIZE:** 353X227X51mm



A-11PC

PRODUCT DESCRIPTION



- **10pcs**- 25mm bit;
- **1pcs**- Adapter
- **Slotted**: PZ3,PZ2,PZ1,H5,H4,H3,PH3,PH2,PH1
- **Hex**: 1.5mm,2mm,2.5mm,3mm



A-21PC

PRODUCT DESCRIPTION



- **20pcs**- 25mm bit
- **1pcs**- Adapter
- **Slotted**: PZ3,PZ2,PZ1,H5,H4,H3,PH3,PH2,PH1
- **Torx**: T15,T25,T40,SL4,SL5,SL6,SQ2
- **Hex**: 1.5mm,2mm,2.5mm,3mm







A-6PC

PRODUCT DESCRIPTION

- 6pcs- 75mm bit
- **Slotted:** PH2



A-10PC

PRODUCT DESCRIPTION

- 10pcs- 50mm bit;
- **Slotted:** PH2
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm





B1-10PC PRODUCT DESCRIPTION

- **9pcs**- 25mm bit
- **1pcs**- Adapter
- **Slotted:** SL3,SL4,SL5
- **Torx:** T6,T7
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1
- **Phillips:** PH0,PH1



B2-20PC PRODUCT DESCRIPTION

- **19pcs**- 25mm bit
- **1pcs**- Adapter
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3
- **Phillips:** PH0,PH1,PH2,PH3





B3-33PC PRODUCT DESCRIPTION

- **32pcs**- 25mm bit
- **1pcs**- Adapter
- **Slotted**: SL3,SL4,SL5,SL6,SL8,SL10
- **Torx**: T6,T7,T8,T9,T10
- **Hex**: 1.5mm,2mm,2.5mm,3mm
- **Pozi**: PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips**: PH0,PH1,PH2,PH3,PH4



B4-51PC PRODUCT DESCRIPTION

- **50pcs**- 25mm bit
- **1pcs**- Adapter
- **Slotted**: SL3,SL4,SL5,SL6,SL8,SL10
- **Torx**: T6,T7,T8,T9,T10
- **Hex**: 1.5mm,2mm,2.5mm,3mm
- **Pozi**: PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips**: PH0,PH1,PH2,PH3,PH4





C1-105PC PRODUCT DESCRIPTION


- **91pcs**- 25mm bit **10pcs**- 50mm bit
- **1pcs**- Adapter
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4
- **Socket:** 10*65/1PC 8*48/1PC
- **Extension rod:** 65*3/8 1PC



C2-100PC PRODUCT DESCRIPTION

- **95pcs**- 25mm bit
- **1pcs**- Adapter **AD:** 1/2
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4

上盖透明 Transparent cover



Screwdriver Set 批头盒



C3-105PC PRODUCT DESCRIPTION

- **101pcs**- 25mm bit
- **2pcs**- Adapter **AD: 1/2**
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4


上盖透明 Transparent cover



D1-83PC-1 PRODUCT DESCRIPTION

- **73pcs**- 25mm bit
- **1pcs**- 65mm bit
- **2pcs**- 90mm bit
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4
- **2pcs**- 50mm bit
- **4pcs**- 70mm bit
- **1pcs**- Adapter

上盖透明 Transparent cover





D1-50PC

PRODUCT DESCRIPTION

- **40pcs**- 25mm bit **9pcs**- 50mm bit
- **1pcs**- Adapter
- **Slotted**: SL3,SL4,SL5,SL6,SL8,SL10
- **Torx**: T6,T7,T8,T9,T10
- **Hex**: 1.5mm,2mm,2.5mm,3mm
- **Pozi**: PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips**: PH0,PH1,PH2,PH3,PH4

上盖透明 Transparent cover



D2-31PC

PRODUCT DESCRIPTION

- **30pcs**- 25mm bit
- **1pcs**- Adapter
- **Slotted**: SL3,SL4,SL5,SL6,SL8,SL10
- **Torx**: T6,T7,T8,T9,T10
- **Hex**: 1.5mm,2mm,2.5mm,3mm
- **Pozi**: PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips**: PH0,PH1,PH2,PH3,PH4






D3-31PC PRODUCT DESCRIPTION


- **30pcs**- 25mm bit
- **1pcs**- Adapter
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4



E5-33PC PRODUCT DESCRIPTION

- **32pcs**- 25mm bit
- **1pcs**- Adapter
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4






E6-51PC

PRODUCT DESCRIPTION

- **50pcs**- 25mm bit
- **1pcs**- Adapter
- **Slotted**: SL3,SL4,SL5,SL6,SL8,SL10
- **Torx**: T6,T7,T8,T9,T10
- **Hex**: 1.5mm,2mm,2.5mm,3mm
- **Pozi**: PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips**: PH0,PH1,PH2,PH3,PH4



F1-29PC

PRODUCT DESCRIPTION

- **22pcs**- 25mm bit **6pcs**- 50mm bit
- **1pcs**- Adapter
- **Slotted**: SL3,SL4,SL5,SL6,SL8,SL10
- **Torx**: T6,T7,T8,T9,T10
- **Hex**: 1.5mm,2mm,2.5mm,3mm
- **Pozi**: PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips**: PH0,PH1,PH2,PH3,PH4






F2-33PC

PRODUCT DESCRIPTION

- **32pcs**- 25mm bit
- **1pcs**- Adapter
- **Slotted**: SL3,SL4,SL5,SL6,SL8,SL10
- **Torx**: T6,T7,T8,T9,T10
- **Hex**: 1.5mm,2mm,2.5mm,3mm
- **Pozi**: PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips**: PH0,PH1,PH2,PH3,PH4



F3-32PC

PRODUCT DESCRIPTION

- **31pcs**- 25mm bit
- **1pcs**- Adapter
- **Slotted**: SL3,SL4,SL5,SL6,SL8,SL10
- **Torx**: T6,T7,T8,T9,T10
- **Hex**: 1.5mm,2mm,2.5mm,3mm
- **Pozi**: PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips**: PH0,PH1,PH2,PH3,PH4





G1-30PC

PRODUCT DESCRIPTION

- **20pcs-** 25mm bit **10pcs-** 50mm bit
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4



G2-15PC

PRODUCT DESCRIPTION

- **15pcs-** 50mm bit
- **Slotted:** SL3,SL4,SL5,SL6
- **Torx:** T6,T7,T8,T9
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3
- **Phillips:** PH2,PH3,PH4





G3-30PC PRODUCT DESCRIPTION

- **30pcs**- 25mm bit
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4



H1-10PC PRODUCT DESCRIPTION

- **9pcs**- 25mm bit
- **1pcs**- Adapter
- **Slotted:** SL4,SL5
- **Torx:** T7,T8,T9
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ1,PZ2,
- **Phillips:** PH1,PH2



H2-33PC

PRODUCT DESCRIPTION

- **32pcs**- 25mm bit
- **1pcs**- Adapter
- **Slotted**: SL3,SL4,SL5,SL6,SL8,SL10
- **Torx**: T6,T7,T8,T9,T10
- **Hex**: 1.5mm,2mm,2.5mm,3mm
- **Pozi**: PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips**: PH0,PH1,PH2,PH3,PH4



H3-13PC

PRODUCT DESCRIPTION

- **12pcs**- 25mm bit
- **1pcs**- Adapter
- **Slotted**: SL4,SL5,SL6
- **Torx**: T6,T7,T8,T9
- **Hex**: 1.5mm,2mm,2.5mm,3mm
- **Pozi**: PZ1,PZ2,PZ4
- **Phillips**: PH1,PH2






A-28PC-1 PRODUCT DESCRIPTION

- **19pcs**- 25mm bit **1pcs**- Adapter
 - **Socket:** 6/7/8/9/10/13mm **AD:** 1/2
 - **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
 - **Torx:** T6,T7,T8,T9,T10
 - **Hex:** 1.5mm,2mm,2.5mm,3mm
 - **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
 - **Phillips:** PH0,PH1,PH2,PH3,PH4
- 无包胶 No encapsulation



A-28PC-2 PRODUCT DESCRIPTION

- **19pcs**- 25mm bit **1pcs**- Adapter
- **Socket:** 6/7/8/10/11/12/13mm **AD:** 1/2
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4




A-32PC-1 PRODUCT DESCRIPTION



- 31pcs- 25mm bit
- 1pcs- Adapter
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4


无包胶 No encapsulation



A-32PC-1 PRODUCT DESCRIPTION

- 31pcs- 25mm bit
- 1pcs- Adapter
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4


无包胶 No encapsulation





A-32PC-2 PRODUCT DESCRIPTION

- **31pcs**- 25mm bit
- **1pcs**- Adapter
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4



A-37PC-1 PRODUCT DESCRIPTION

- **36pcs**- 25mm bit
- **1pcs**- Adapter
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4






A-37PC

PRODUCT DESCRIPTION

- 36pcs- 25mm bit
- 1pcs- Adapter
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4


无包胶 No encapsulation



B-13PC-1

PRODUCT DESCRIPTION

- 2pcs- 50mm bit 9pcs- 70mm bit
- 1pcs- Adapter
- **Slotted:** SL4,SL6,SL8
- **Torx:** T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ1,PZ2,PZ3
- **Phillips:** PH1,PH2





B-13PC-2 PRODUCT DESCRIPTION

- **12pcs**- 100mm bit
- **1pcs**- Adapter
- **Slotted:** SL4,SL6,SL8
- **Torx:** T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ1,PZ2,PZ3
- **Phillips:** PH1,PH2



B-18PC-2 PRODUCT DESCRIPTION

- **17pcs**- 50mm bit
- **1pcs**- Adapter
- **Slotted:** SL4,SL5,SL6,SL8,SL10
- **Torx:** T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3





B-18PC

PRODUCT DESCRIPTION

- **17pcs**- 50mm bit
- **1pcs**- Adapter
- **Slotted:** SL4,SL5,SL6,SL8,SL10
- **Torx:** T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3



B-39PC

PRODUCT DESCRIPTION

- **29pcs**- 25mm bit **1pcs**- Adapter
- **Socket:** 4/4.5/5/6/7/8/9/10mm **AD:** 1/2
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4





B-39PC

PRODUCT DESCRIPTION

- **29pcs**- 25mm bit **1pcs**- Adapter
- **Socket:** 4/4.5/5/6/7/8/9/10mm **AD:** 1/2
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4



C-31PC

PRODUCT DESCRIPTION

- **20pcs**- 25mm bit **1pcs**- Adapter
- **Socket:** 6/7/8/9/10/11/12mm **AD:** 1/2
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4






C-31PC-1 PRODUCT DESCRIPTION

- **19pcs-** 25mm bit **1pcs-** Adapter
- **Socket:** 6/7/8/9/10/11/12mm **AD:** 1/2
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4

无包胶 No encapsulation



C-41PC-1 PRODUCT DESCRIPTION

- **36pcs-** 25mm bit **4pcs-** 75mm bit
- **1pcs-** Adapter
- **Slotted:** SL3,SL4,SL5,SL6,SL8,SL10
- **Torx:** T6,T7,T8,T9,T10
- **Hex:** 1.5mm,2mm,2.5mm,3mm
- **Pozi:** PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips:** PH0,PH1,PH2,PH3,PH4


无包胶 No encapsulation





C-41PC-2 PRODUCT DESCRIPTION

- **36pcs**- 25mm bit **4pcs**- 75mm bit
- **1pcs**- Adapter
- **Slotted**: SL3,SL4,SL5,SL6,SL8,SL10
- **Torx**: T6,T7,T8,T9,T10
- **Hex**: 1.5mm,2mm,2.5mm,3mm
- **Pozi**: PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips**: PH0,PH1,PH2,PH3,PH4



D-63PC-1 PRODUCT DESCRIPTION

- **44pcs**- 25mm bit **9pcs**- 50mm bit
- **1pcs**- Adapter **AD**: 1/2
- **Socket**: 6/7/8/9/10/11/12/13mm
- **Slotted**: SL3,SL4,SL5,SL6,SL8,SL10
- **Torx**: T6,T7,T8,T9,T10
- **Hex**: 1.5mm,2mm,2.5mm,3mm
- **Pozi**: PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips**: PH0,PH1,PH2,PH3,PH4
- **无包胶 No encapsulation**





D-63PC-2 PRODUCT DESCRIPTION

- 44pcs- 25mm bit 9pcs- 50mm bit
- 1pcs- Adapter AD: 1/2
- Socket: 6/7/8/9/10/11/12/13mm
- Slotted: SL3,SL4,SL5,SL6,SL8,SL10
- Torx: T6,T7,T8,T9,T10
- Hex: 1.5mm,2mm,2.5mm,3mm
- Pozi: PZ0,PZ1,PZ2,PZ3,PZ4
- Phillips: PH0,PH1,PH2,PH3,PH4



D-83PC-1 PRODUCT DESCRIPTION

- 73pcs- 25mm bit 9pcs- 75mm bit
- 1pcs- Adapter
- Slotted: SL3,SL4,SL5,SL6,SL8,SL10
- Torx: T6,T7,T8,T9,T10
- Hex: 1.5mm,2mm,2.5mm,3mm
- Pozi: PZ0,PZ1,PZ2,PZ3,PZ4
- Phillips: PH0,PH1,PH2,PH3,PH4

无包胶 No encapsulation




Screwdriver Set 批头盒



D-83PC-2 PRODUCT DESCRIPTION

- **72pcs**- 25mm bit **9pcs**- 75mm bit
- **1pcs**- Adapter
- **Slotted**: SL3,SL4,SL5,SL6,SL8,SL10
- **Torx**: T6,T7,T8,T9,T10
- **Hex**: 1.5mm,2mm,2.5mm,3mm
- **Pozi**: PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips**: PH0,PH1,PH2,PH3,PH4



35PC BITS SET PRODUCT DESCRIPTION

- **21pcs**- 25mm bit **7pcs**- 50mm bit
- **5pcs**- 70mm bit
- **Slotted**: SL3,SL4,SL5,SL6,SL8,SL10
- **Torx**: T6,T7,T8,T9,T10
- **Hex**: 1.5mm,2mm,2.5mm,3mm
- **Pozi**: PZ0,PZ1,PZ2,PZ3,PZ4
- **Phillips**: PH0,PH1,PH2,PH3,PH4





- **Torx:** T5,TT6,TT7,TT8,TT9,TT10,TT15,TT20, TT25,TT27,TT30,TT35,TT40



- **Hex:** 5/64,3/32,7/64,1/8,9/64,5/32, 3/16,7/32,1/4,5/16
- **Hex:** 1.5mm,2mm,2.5mm,3mm,3.5mm, 4mm,5mm,6mm,7mm,8mm



- **Hex:** 1/2,3/8,1/4,5/16,3/8,7/16, 9/16,7/32,1/4,5/16
- **Hex:** 8mm,10mm,11mm,12mm,13mm,14mm

Screwdriver Set 批头盒



- **Hex:** 1.5mm, 2mm, 2.5mm, 3mm, 3.5mm, 4mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm

- **Torx:** T4, T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T35, T40



- 21件套磁性螺母驱动器套装
- **Metric:** 6mm, 8mm, 10mm, 11mm, 12mm, 13mm, 14mm
 - **SAE:** 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"

- **Hex:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16
- **Hex:** 1.5mm, 2mm, 2.5mm, 3mm, 3.5mm, 4mm, 5mm, 5.5mm, 6mm, 7mm, 8mm
- **Torx:** 6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40

Screwdriver Set 批头盒

JSY[®]
JINSANYUAN TOOLS



SCREWDRIVER SET

Screwdriver Set 批头盒



SCREWDRIVER SET

Screwdriver Set 批头盒



SCREWDRIVER SET

Screwdriver Set 批头盒



SCREWDRIVER SET

Screwdriver Set 批头盒



本书所列之产品外观、颜色、参数仅供参考，以公司发出实物为准；
本公司保留随时修改或取消该书资料相关参数并不预先通知的权利；
本公司保留本手册的最终解释权；



电子样本



公司官网



温州金三原工具有限公司
WENZHOU JINSANYUAN TOOLS CO., LTD.

地址(Add): 浙江省温州市乐清市清江镇工业区

电话(Tel): 0577-62260782

传真(Fax): 0577-62262119

E-mail: jsy@jsygj.com

Http:// www.jsygj.com wzjsygj.1688.com